




PRODUCT  
CATALOG

## CLOBETASOL PROPIONATE CREAM 0.05%

Clobetasol Propionate Cream USP, 0.05% (emollient) is a super-high potency corticosteroid indicated for the relief of the inflammatory and pruritic manifestations of cortico-steroid-responsive dermatoses in patients 12 years of age and older and for the topical treatment of moderate to severe plaque-type psoriasis.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	0.05%	60 grams	1	70512-028-60	3 70512 02860 2

## CLOTRIMAZOLE CREAM 1%


Clotrimazole Cream is used for external treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis). Relieves itching, cracking scaling irritation and chafing associated with these conditions.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	1%	28.4 grams (1oz.)	1	70512-100-30	7 05120 10030 1

## DESOXIMETASONE OINTMENT 0.05%

Desoximetasone Ointment, USP 0.05% is indicated for the relief of the inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	0.05%	30 grams	1	70512-037-10	3 70512 03760 4

## DICLOFENAC 1.5% TOPICAL SOLUTION

Diclofenac sodium topical solution is a nonsteroidal anti-inflammatory drug (NSAID) indicated for the treatment of signs and symptoms of osteoarthritis of the knee(s).



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Bottle	1.5%	150 mL	1	70512-025-05	3 70512 02505 2

## DIFLORASONE DIACETATE OINTMENT 0.05%

Topical corticosteroids are indicated for relief of the inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	0.05%	60 grams	1	70512-031-60	3 70512 03160 2

## ERYTHROMYCIN 2% GEL

Erythromycin Topical Gel USP, 2% is indicated for the topical treatment of acne vulgaris.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	2%	60 grams	1	70512-035-60	3 70512 03560 0

## FLUOCINONIDE 0.05% GEL


Fluocinonide Gel USP, 0.05% is indicated for the relief of the inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	0.05%	60 grams	1	70512-034-60	3 70512 03460 3

## GENTAMICIN SULFATE CREAM 0.1%

Gentamicin Sulfate is a wide spectrum antibiotic that provides highly effective topical treatment in primary and secondary bacterial infections of the skin.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	0.1%	30 grams	1	70512-036-30	3 70512 03630 0

## HALOBETASOL 0.05% OINTMENT

Halobetasol Propionate Ointment, 0.05% is a super-high potency corticosteroid indicated for the relief of the inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Bottle	0.05%	50 grams	1	70512-033-50	3 70512 03350 7

## HYDROCORTISONE BUTYRATE 0.1% LOTION

Hydrocortisone Butyrate Lotion is indicated for the topical treatment of mild to moderate atopic dermatitis in patients 3 months of age and older.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Bottle	0.1%	4 oz.	1	70512-032-04	3 70512 03204 3

## HYDROCORTISONE CREAM 1%

Hydrocortisone Cream is used to relieve itches and rashes due to eczema, psoriasis, seborrheic dermatitis, poison ivy, poison oak, poison sumac, insect bites, external anal itching, soaps, detergents, cosmetics, jewelry, and genital itching.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	1%	28.4 grams (1oz.)	1	70512-101-30	7 05120 10130 8

## LENZAPRO PATCH LIDOCAINE 4% MENTHOL 4%

LenzaPro Patch is used for the temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, sprains, muscle soreness and stiffness.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Patches	4% / 4%	15 patches	1	70512-011-15	0 70512 01115 3

## LIDOCAINE 5% OINTMENT


Lidocaine Ointment USP, 5% is indicated for production of anesthesia of accessible mucous membranes of the oropharynx. It is also useful as an anesthetic lubricant for intubation and for the temporary relief of pain associated with minor burns, including sunburn, abrasions of the skin, and insect bites.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Jar	5%	50 grams	1	70512-027-55	3 70512 02755 1

## LIDOCAINE AND PRILOCAINE CREAM, 2.5%/2.5%

Lidocaine and Prilocaine Cream USP, 2.5%/2.5% (a eutectic mixture of lidocaine 2.5% and prilocaine 2.5%) is indicated as a topical anesthetic for use on normal intact skin for local analgesia and genital mucous membranes for superficial minor surgery and as pretreatment for infiltration anesthesia.



DESCRIPTION	STRENGTH	FILL VOLUME	UNITS PER PACK	NDC	UPC
Tube	2.5% / 2.5%	30 grams	1	70512-030-30	3 70512 03030 8

MANUFACTURING RELATIONSHIPS.  
DISTRIBUTING QUALITY.



655 Highlandia Dr, Ste B, Baton Rouge, LA 70810

(866) 747-7365 | [info@solameds.us](mailto:info@solameds.us)

[www.solameds.us](http://www.solameds.us)